

WÜRTH

PARTNER TO THE INDUSTRY

Ver. 6.0

**#READY
FOR WORK**





CONTENTS

Introduction	
ORSY	1
Chemicals	2 - 6
Oil/Coolant	7
Fasteners	8 - 9
Material Processing	10 - 17
Hand Tools	18 - 27
Pneumatic Tools	28 - 33
Equipments	34 - 37
Safety Products	38 - 42
Polishing of Painted Surface	43 - 44
REFILLO	45



Disclaimer

We strive to ensure the accuracy of the product description in this catalogue at the time of printing. However, the products may be subjected to change to meet market demands. Product images may slightly vary with the actual product.

For more information on our range of products, please visit www.wuerth.in

WÜRTH INSIGHT



WÜRTH Headquarters – Künzelsau, Germany

- More than 1,25,000 product line
- Total employees: > 85,000
- Over 4 million customers worldwide
- 2022 sales: EUR 19.95 billion
- Standard & Poor’s rating: A Stable
- Over 400 companies in more than 80 countries



We make connections worldwide

WUERTH INDIA

Central Support Centre – Mumbai

Regional Support Centre – Chennai | Delhi | Kolkata

Over 895 employees working in across 35 locations to serve the customers



Our product range includes products for Automotive Technology/Service Maintenance, Chemicals, Paints, Engine Oils, Adhesives/Abrasives, Cutting Devices, Fasteners, Furniture and Construction Fittings, Dowel Technology, Industrial Safety, Electric Vehicle Charging Solutions and much more.

Business Areas



AUTO

- Auto Repair Shops
- Car Dealers
- Body Shops
- Motorcycle Repair Shops
- Smash Repair Shops
- Auto Electricians



EV CHARGING SOLUTIONS

- EV Showrooms & Dealerships
- Parking
- Residential
- Office/Commercial
- EV Fleet Owners
- Restaurants & Malls



CARGO

- OEM Dealers
- Authorized Workshops
- Multi-brand Workshops
- Forwarding Companies
- Transport Operators
- Body Building Units



METAL

- Metalworking Industry
- Fabrication Industry
- Maintenance, Repair & Operations
- Furniture Manufacturers
- Electrical Installations
- Turnery/Milling Shop



CONSTRUCTION


- Construction Companies
- Roofs
- Door & Window Frame Installation
- Furniture Manufacturers
- Interior Decorators & Painters
- Facade Builders



PAINTS

- Body Shops
- OEM Dealers
- Multi Brand Workshops
- Body Building Units
- Industries

ORSY



Total purchase - 80%
Part numbers - 20%
Need attention!!!

Total purchase - 20%
Part numbers - 80%
Too much work!!!

The parts classification pyramid reflects the necessity for an effective system to manage the "little things". C-Parts incurs high process and procurement costs, due to the unmanageable product range variety in huge quantities. ORSY (ORdering System) is Wuerth's creative solution to support C-Part and maintenance product management system. It suits all types of products for OEM/MRO and enables easy identification of products due to the

modular system. It is an efficient and perfectly organized system which enables quick access to items that are frequently required, and helps to keep track of stock flow and usage. The time thus saved is a premium, which in tandem enables cost saving as well, in acquisition of new goods. The ORSY process cycle involves an audit of the customer site and implementation of the system by dedicated support personnel.

- ### Advantages of C-Part Management
- Reduction of inventory
 - High availability
 - Consistent high quality
 - Product standardization
 - Engineering services
 - No stock taking or in-house transportation
 - Better utilization of manufacturing space
 - Limited obsolescence
 - Reduction of suppliers
 - **Total cost reduction**

ORSY – Full Service Evolution



Planning



Assembly, labelling & repacking



Servicing, maintenance & repair



Disposition & updating

CHEMICALS



HHS 2000 500 ml

Art. No.	Contents
0893106	500 ml
08931061	150 ml

- Partly synthetic oil that is extremely resistant to high pressures.
- Creeping properties.
- Highly adhesive.
- Good material compatibility.



HHS 5000 500 ml

Art. No. 08931063

- Extremely temperature-resistant, fully synthetic creep oil with PTFE.
- Temperature range: -20°C to +200°C.
- Temporary: +250°C.
- Colour: Transparent.



HHS DRY LUBE 400 ml

Art. No. 08931066

- Shear-proof dry synthetic wax with PTFE.
- Dry synthetic wax.
- Outstanding creeping property and good penetration of gaps.



HHS 500 ADHESIVE LUBRICANT 500 ml

Art. No. 08931065

- EP long-life spray grease with a high protective factor against weathering and ambient influences.
- Low adhesion of dust and dirt.



RUST OFF

Art. No.	Contents
089020011	300 g
089020010	100 ml
089020050	50 ml

- High quality rust releaser.
- High capillary activity.
- Optimum corrosion protection.
- Excellent water displacement.



RUST OFF ICE PLUS 400 ml

Art. No. 0893241060

The low-temperature cracking effect with unique cold shock down to -60°C loosens even heavily seized screw connections



RUST-STOP QUATTRO

Art. No. 08932141

- Fast-drying universal primer with a broad range of applications.
- Corrosion protection.
- Welding primer.
- Very high temperature resistance up to 300°C, briefly up to 500°C.



SYNTHETIC ADHESIVE LUBRICANT

Art. No.	Contents
0893105653	100 ml
0893610652	500 ml



INDUSTRY CLEANER 500 ml

Art. No. 0893140

For removing adhesive tape residue, labels and film stickers as well as stubborn dirt.



WELDING SPRAY PERFECT

Art. No. 0893102100

Biological welding protection spray for aluminium, construction steel, non-ferrous metals, stainless steels and welding torch nozzles.

CHEMICALS



DEGREASER & METAL PART CLEANER 500 ml

Art. No. 0890117

- General-purpose product for cleaning and degreasing metal parts surface.
- Fast, effective removal of soot, grease, industry dust and oily residues.



ASSEMBLY & PARTS CLEANER 1A 500 ml

Art. No. 0890106500

- Highly active and safe assembly and parts cleaner.
- Increases safety without loss of performance.
- High cleaning performance.
- Silicone-free.



CORROSION PROTECTION SPRAY 500 ml

Art. No. 089315

- Low-viscosity special oil with excellent creep properties.
- Self-closing protective film that does not become touch-dry.
- Excellent salt water resistance in accordance with DIN 50021.



STAINLESS STEEL POWER CLEANER

Art. No. 08931212

- Special cleaning fluid for precleaning metal surfaces.
- Powerful removal of oil and grease.
- Safe to use in areas where food is processed or stored, such as commercial kitchens, canteens, abattoirs, food transport etc.



STAINLESS STEEL SPRAY PERFECT

Art. No. 0893114116

- Outstanding long-term protection and optimum metal surface appearance.
- Stainless steel coloured.
- High degree of resistance to running.



WIRE ROPE SPRAY 500 ml

Art. No. 08931058

- Protective wax with OMC2 for lubricating and preserving.
- Does not drip with heat development.
- Optimum creeping capacity.
- Outstanding resistance to water.



STAINLESS STEEL CARE SPRAY

Art. No. 0893121

- Cleaning care emulsion for metallic surfaces.
- Nurturing, creamy emulsion with cleaning effect.
- Dirt, cleaning and wiping marks and greasy, oily finger prints are thoroughly removed.
- Can be used on vertical surfaces.
- Medic white oil with synthetic oils.
- pH value: 10.2
- Silicone-free.



CU 800 - SPRAY 300 ml

Art. No. 0893800

- Highly adhesive lubricant, separating and anti-corrosive copper paste.
- Extremely resistant to high temperatures and high pressures.



STAINLESS STEEL CARE OIL

Art. No. 08931210

- Removes light soiling, dust, cleaning marks and greasy finger prints.
- Produces an even, glossy surface.
- Water-repellent protective film prevents surface from becoming resoiled.



ALUMINIUM PASTE AL 1100

Art. No. 08931100

- High-performance anti-seize aluminium/copper-based lubricant.
- Resistant to temperatures and high pressure.
- Prevents burning on and seizing, cold welding, wear, corrosion, frictional corrosion.

CHEMICALS



ZINC SPRAY PERFECT

Art. No. 0893114113

- Outstanding long-term protection and optimum metal surface appearance.
- Zinc colour, Matt effect.
- High degree of resistance to running.
- Protection against corrosion (500 hours).



ALUMINIUM SPRAY, MATT PERFECT 400 ml

Art. No. 0893114115

- Outstanding long-term protection and optimum metal surface appearance.
- Aluminium coloured.
- High degree of resistance to running.
- High abrasion resistance and spot weldable.



ZINC SPRAY LIGHT PERFECT, 400 ml

Art. No. 0893114114

- Outstanding long-term protection and optimum metal surface appearance.
- Zinc Bright colour, Gloss.
- High degree of resistance to running.
- Protection against corrosion 250 hours.



ZINC SPRAY

Art. No. 0893113120

- Excellent corrosion protection and refinishing damaged metal surfaces.
- Good adhesion to most metal surface.



ANTI SPATTER SPRAY

Art. No. 089310255

Bio-safe welding protection spray for aluminium, structural steel, nonferrous metals, stainless steels, etc.



FOOD SAFE LUBRICATING OIL

Art. No. 08931071

- Colourless special lubricant with creeping properties for the food beverage, pharmaceuticals and clinical industries.
- Tasteless and odourless.
- Good material compatibility.
- Silicone and AOX free.



METAL RESTORER

Art. No. 08931211

- For removing the most stubborn of dirt on metal.
- Contains activated citric acid.
- Natural aluminium oxide is used as an abrasive substance.
- Productive additives with remoisturising properties and highly viscose.



LIME REMOVER

Art. No. 089378

- Cleaner that dissolves lime, limescale and rust for water-conducting systems with colour indicator.
- For cleaning acid-resistant heat exchangers, pipework, water heaters, boilers, cooling systems, pumps and valves etc.
- Removes lime, limescale and rust as well as algae and fungi growth.



BMF CLEANER 5 L

Art. No. 0893118825

Environmental friendly cleaning agent for workshops, machinery and vehicles.



CLEANER FOR BOILER

Art. No. 089375

- Boiler Cleaner.
- Chemical basis: Aliphatic hydrocarbon.
- Smell/fragrance: Mild.
- Colour: Blue.

CHEMICALS



MULTI-PURPOSE GREASE II

Art. No. 08938711

- Lithium-soap graphite grease.
- Resistant to high pressure due to EP additives.
- Excellent emergency running properties.
- Good sealing action and protection against corrosion.



SILICONE SPRAY GREASE

Art. No. 0893223

- Extremely lubricating and insulating silicone grease.
- Very high electric resistance (= 14.7 kV/mm).
- Excellent insulating effect.
- Excellent water displacement.



WGF GREASE

Art. No. 0893530

- High-performance lubricating grease.
- Lithium-soap grease with molybdenum sulphide (MoS₂).
- Temperature resistant from -30°C to +130°C, briefly up to +150°C.



SEALANT REMOVER

Art. No. 08931000

- Removes sealing materials, adhesives, paints, etc. in just minutes.
- Stable.



V-BELT SPRAY 400 ml

Art. No. 0893230

- For extending the service life of V-belts.
- Prevents slipping, transfers full drive output.
- Eliminates squeaking.



UNIVERSAL CLEANER R1

Art. No. 0893125005

Universally applicable, environmentally friendly cleaner for vehicles, workshops, offices, interiors, carpets, upholstery and all water-resistant surfaces



LIMESTOP

Art. No. 08930300

- For hot-water, high-pressure cleaners.
- Reliably prevents lime deposits in parts conducting warm and hot water.



BATTERY TERMINAL PROTECTOR

Art. No. 0890104

- Film protects battery terminals, pole terminals and plug connections from corrosion, weather and battery acids.
- Prevents transfer resistances and voltage drops.
- Longer battery life.



PLASTIC & RUBBER CARE

Art. No.	Contents
089347726	100 ml
0893221525	500 ml

Protects, maintains surface of plastic and rubber components.

CHEMICALS



RADIATOR SEAL

Art. No. 5861501300

- Radiator sealant for all engines with cooling systems and without filter systems.
- Permanently seals hairline cracks and leaks.



BOND SEAL

Art. No. 08901001/2/3

- Polyurethane Sealant
- Excellent adhesion
- Colours: White, Gray & Black



HIGH-STRENGTH BEARING LOCK

Art. No. 0893603050

- For high-strength securing of bushings, sleeves, gearwheels, bolts, shaft and hub connections, bearings exposed to high stresses.
- Reliable hardening at low temperatures around 0°C.



EXHAUST ASSEMBLY PASTE

Art. No. 0890100045

Soft compound for quick, easy and completely gas-tight assembly of sleeve (pipe plug) and flange connectors in exhaust systems.



HIGH-STRENGTH SCREW RETAINER

Art. No. 0893270025

- Tough removable screw retainer and sealing compound – single-handed dispensing system.
- Ideally suited for screw connections exposed to high stresses.
- Excellent media and heat resistance.



LIQUID METAL FE1

Art. No. 0893449

- Fast-acting repair system, ideal for installers and workshops in the metal processing sector.
- High-quality two-component reaction resin system.
- After hardening, can easily be processed.



MEDIUM-STRENGTH SCREW RETAINER

Art. No. 0893243025

- Removable screw retainer and sealing compound – one-handed dispensing system.
- For medium-strength bonding.
- No need for accelerator or activator agents.
- Excellent media and heat resistance.



SILICONE SPECIAL 180 70 ml

Art. No.	Colour
0890320	Transparent



SEALING COMPOUND, FIRE CEMENT 1000

Art. No. 08932900

Solvent-free 1-component sealing compound with optimum heat resistance, high degree of strength and excellent adhesion to metal surfaces



SILICONE SPECIAL 250 70 ml

Art. No.	Colour
0890321	Red
0890323	Black



ENGINE & HOUSING SEALING COMPOUND DP 300 NSF

Art. No. 0890100048

OIL/COOLANT



HYDRAULIC OIL 68 26 L

Art. No. 0897746023045 1

- Excellent anti-wear properties.
- Good oxidation and thermal stability.
- Good water tolerance.
- Excellent hydrolytic stability.
- Extended pump durability.



HYDRAULIC OIL 46 210 L

Art. No. 0897746022045 1



GEAR OIL 80W 90

Art. No.	Contents
0897180901	1 L
0897180906	55 L
0897180905	210 L

API GL - 4

- Multi-purpose gear oil for all vehicle.
- Reduces running noises and provides outstanding protection against wear.
- Optimum lubrication, even with extremely long oil change intervals.



CUTTING & DRILLING OIL 5L

Art. No. 0893050009

High-performance cutting oil for the heaviest machining work and for higher cutting speeds.

COOLANT



RADIATOR COOLANT WTC - GREEN

Art. No.	Contents
0892501604045	1 3 L
0892501605045	1 5 L



RADIATOR COOLANT WTPC - GREEN 210 L

Art. No. 0892601605045 1



RADIATOR FLUSH & CLEANER 250 ml

Art. No. 0893556002

- Cleans the entire cooling system.
- Dissolves & combines residues containing oil & grease.
- Dislodges & removes lime & corrosion deposits.
- Ensures optimum engine cooling and reliability.

FASTENERS



SCREW, COUNTERSUNK HEAD

Art. No. 004808 2...


- Material: Steel.
- Screwing-property class: 4.8.
- Surface: Plain.
- Screw Head Type: CSK.
- Thread Type: M.



SCREW, HEXAGON HEAD W. SHAFT

Art. No. 005310 1...

- Material: Steel.
- Screwing-property class: 8.8.
- Surface: Galvanised.
- Screw Head Type: Hexagon Head.
- Screw Thread Design: Partial Thread.
- Thread Type: M.



SCREW, HEXAGON HEAD FLANGED

Art. No. 027392...

- Material: Steel.
- Screwing-property class: 8.8.
- Surface: Galvanised.
- Screw Head Type: Hex with flange.
- Thread Type: M.



SCREW, CHEESE HEAD

Art. No. 00823 1...

- Material: Steel.
- Screwing-property class: 8.8.
- Surface: Plain.
- Screw Head Type: FIL.
- Thread Type: M.



DRILLING SCREW, COUNTERSUNK HEAD

Art. No. 021239...

- Material: Steel.
- Surface: Galvanised.
- Screw head type: CSK.



EYE BOLT

Art. No. 02360105...

- Material: Steel.
- Surface: Galvanised.
- Screwing-property class: 4.6.
- Blue passivated.



WING SCREW

Art. No. 0237...

- Material: Steel.
- Surface: Galvanised.
- Head type: M.



ALLEN HEAD SCREW, CHEESE HEAD

Art. No. 00845 1...

- Material: Steel.
- Surface: Galvanised.
- Blue passivated.
- Screw head type: M.



CHEESE HEAD SCREW, HEXAGON HEAD

Art. No. 008404...

- Material: Steel.
- Screwing-property class: 8.8.
- Surface: Galvanised, Yellow.
- ISO 4762.



GRUB SCREW

Art. No. 0254...

- Material: Steel.
- Surface: Galvanised.
- Head type: M.



STUD-BOLT

Art. No. 0260005...

- Material: Steel.
- Surface: Galvanised.
- Blue passivated.
- DIN: 1434.



LEFT HAND THREADED ROD

Art. No. 09589...

- DIN 976-1 (form A).
- Surface: Plain.
- Material: Steel.



BLIND RIVETS

Art. No. 09383 6...

- Sleeve: Aluminium.
- Mandrel: Galvanised steel.
- Blue passivated (A2K).



STUD

Art. No. 0250861...

- Material: Steel.
- Screwing-property class: 8.8.
- Surface: Plain.
- DIN: 939.
- Thread type: M.



STRAIGHT PIN, HARDENED

Art. No. 02520...

- Material: Steel.
- Design: Hardened.
- Surface: Plain.
- DIN: 6325.

FASTENERS



PLAIN WASHER

Art. No. 041616...

- Material: Steel.
- Surface: Galvanised.
- Blue passivated.
- DIN 9021.



SERRATED WASHER EXTERNAL TOOTH

Art. No. 042320...

- Material: Steel.
- Surface: Galvanised.
- Blue passivated.



FLAT WASHER WITH CHAMFER

Art. No. 007906 16...

- Material: Steel.
- Surface: Hot-dipped.
- Thread type: M.
- EN 14399/6.



SPRING LOCK WASHER FORM B

Art. No. 0434...

- Material: Spring Steel.
- Surface: Galvanised.
- Thread type: M.
- DIN 137.



HEXAGON NUTS

Art. No. 00790516...

- For high-strength pre-loaded structural screw connections for metalworking.
- High-strength assemblies in accordance with DIN EN 14399-4.



CAP NUT, DOMED

Art. No. 0350...

- Material: Brass.
- Surface: Plain.
- Thread type: M.



WING NUT, GERMAN FORM

Art. No. 0342...

- Material: Steel.
- Surface: Plain.
- Head type: M.



NYLOCK NUT

Art. No. 036810

Nuts with reduced loadability.

- Material: Steel.
- Screwing-property class: 8.
- Surface: Galvanised.
- Design: Polyamide clamping piece.



CAP NUT, LOW PROFILE

Art. No. 03490...

- Material: Stainless steel A4.
- Surface: Plain.
- Thread type: M.



LOCKING NUT

Art. No. 0316...

- Material: Steel.
- Surface: Yellow galvanised.
- Thread type: M.
- DIN 7967.



FIRE BRIGADE SNAP HOOK

Art. No. 052410010...

- Material: Steel.
- Surface: Galvanised.
- DIN 5299.



SHACKLE DIN

Art. No. 052310...

- Galvanised steel, blue passivated (A2K), drop-forged and deburred.
- Connection element.
- For crane loading gear.
- For towing vehicles.
- For extending cables and chains.
- For use in transporting heavy and bulky goods.



CLAMPING SLEEVE

Art. No. 0475..

- Material: Spring Steel.
- Surface: Plain.
- DIN 1481.
- ISO 8752.



SPIRAL PIN

Art. No. 04758...

- Material: Steel.
- Surface: Plain.
- ISO 8748.



SPLIT PIN

Art. No. 04704...

- Material: Steel.
- Surface: Galvanised.
- DIN 94.

MATERIAL PROCESSING



CUTTING WHEEL (4"/5"/7" & 14")

Art. No. 06699909... Art. No. 0670935528 (14")


- Synthetic resin bonded, fibre-reinforced high performance cutting wheel.
- Extremely low breakage susceptibility.
- Max. circumferential speed 80 m/s.
- EN 12413 standard.
- Applications: Cutting solid materials, thick-walled pipes, profiles, channels etc.



GRINDING WHEEL (4"/5"/7")

Art. No. 06699951...

- Synthetic-resin bonded, fiber-reinforced high-performance grinding wheels.
- Especially long service life combined with high removal rates.
- Max. circumferential speed 80 m/s.
- Applications: Grinding edges, weld seams and surfaces.



MINI FIBRE DISCS

Art. No. 058000...

- Zirconium corundum, with quick-change mounting.
- Rugged polyester cloth.
- High tear resistance.



MINI FLEECE DISC

Art. No. 0673205018

- Material: Aluminium Oxide.
- Max rotation speed: 23000 rpm.
- Grain size: Medium 180.



CONICAL BRUSH, RUST FREE WIRE

Art. No. 0714692411

- For angle grinders.
- Machining stainless steel.



CONICAL BRUSH

Art. No. 0714691411


- For angle grinders.
- Special shape brushes, can be used to machine hard-to-reach places.
- Material: Steel
- Hardened steel wire, braided counter clockwise.



SANDING BELT, FOAM MATERIAL

Art. No. 0672989..

- Material: Zirconium corundum.
- Grain size: 60, 80



FLAP DISC

Art. No. 05786050...

- Grit size: 36, 40, 60, 80
- Zirconium corundum.
- Sturdy plastic plate with quick-change mounting.
- Rugged, flexible cotton fabric with high tear resistance.
- Versatile, broad range of applications.

MATERIAL PROCESSING



VEHICLE DRY ABRASIVE ROLL


Art. No.	Grid size	W x L
5506247104	P40	115 mm x 25 m
5506247106	P60	115 mm x 25 m
5506247108	P80	115 mm x 50 m
5506247112	P120	115 mm x 50 m
5506247115	P150	115 mm x 50 m
5506247118	P180	115 mm x 50 m
5506247122	P220	115 mm x 50 m
5506247132	P320	115 mm x 50 m
5506247150	P500	115 mm x 50 m



SANDPAPER ROLL ARIZONA PERFECT SOFT

Grit	Width x length	Art. No.
150	115 mm x 25 m	5506 442 115
180	115 mm x 25 m	5506 442 118
220	115 mm x 25 m	5506 442 122
240	115 mm x 25 m	5506 442 124
320	115 mm x 25 m	5506 442 132
400	115 mm x 25 m	5506 442 140
500	115 mm x 25 m	5506 442 150
600	115 mm x 25 m	5506 442 160
800	115 mm x 25 m	5506 442 180


- For all paint repair work with intermediate and fine sanding.
- For fast, convenient sanding of hard-to-reach areas, e.g. edges and curves in addition to dry sanding.



DRY SANDING DISCS, RED LINE P40 - P500

Art. No. 05773630...


- P40 - P500
- 15 holes



PURPLE ABRASIVE DISCS

Art. No. 59976...

- P80 - P500
- 21 holes



ABRASIVE PAPER, WET 230 x 280 mm, P60 - P2000

Art. No. 058411...

- Silicon carbide.
- Usable without soaking, very flexible sandpaper.
- Sharp-contoured working.
- Outstanding finish.

MATERIAL PROCESSING



SPIRAL DRILL BIT, HHS

Art. No. 06344

- Special core geometry at the drill tip and reduced chisel edge (has the effect of drill point thinning).
- Reinforced, sequential core increment.
- DIN 388 type RN assortment 19 pcs.



TWIST DRILL BIT SET

Art. No. 0624 000 001

- Assembly drill bits for precise working in steel, tip angle 130°.
- Precise drilling.
- Self-centring.
- Long tool life.
- The crosswise grinding ensures an excellent centring effect.
- HC (High Speed Cutting) grinding and the associated precise cutting geometry ensures long service life.
- DIN 388 type HSS 19 pcs.



SPIRAL DRILL BIT – HHS, METAL SET

Art. No. 062501

- Economical HSS twist drill for general use in steel, up to 800 N/mm².
- Clearly laid down, consistent quality - above market standards.
- For use in hand-held drills.



BIT SET

Art. No. 0614250300

- Contents: 105 pcs.
- 1/4" bit assortment with short and long versions of the most common standard and safety bits.



CHISEL SET – 4 PCS

Art. No. 071463 40

- Completely hardened shaft, Chrome vanadium air hardening steel.
- Regrindable blade.
- Oil-resistant PVC and Octagonal handle.
- Rebound impacts.
- Contents: Electricians' slitting chisel, bodywork chisel, stone chisel, joint chisel.



PNEUMATIC CHISEL HAMMER

Art. No. 07037121

- Extremely robust, powerful chisel hammer with Max. Impact rate 2900 rpm.
- Rugged, partially rubberised housing.
- Anti-slip, ergonomic handle with adjustable trigger.
- Includes retaining spring and alternative quick-action chuck and 5 chisels made from special steel.



PIN PUNCH SET – 5 PCS

Art. No. 07463259

- Ergonomically shaped 2C handle.
- Vibration protection.
- Impact guard.
- Tempered tool steel.
- L X Ø (230 X 8, 240 X 10, 260 X 12, 280 X 14, 290 X 16) mm.

MATERIAL PROCESSING



WIRE THREAD INSERT ASSORTMENT W.TEC® INSERT COIL FREE RUNNING

Art. No. 46279903

- For producing a lasting, heavy-duty female thread.
- With free running, true to gauge thread.
- Stainless steel.
- Surface: Bare
- Thread type: Metric thread



HAND TAP SET 21 Pcs

Art. No. 0639000021

- Consisting of a taper tap (shape A), a second tap (shape D) and third tap (shape C) in the dimensions M3-M12 for producing metric ISO standard threads by hand in accordance with DIN13 in through holes and blind holes in the steel, non-ferrous metals and cast iron material groups up to a strength of 800 N/mm².
- Available in ORSY® system cassette.



TIME-SERT® THREAD REPAIR ASSORTMENT

Art. No. 5964096171

- Complete Set - M5/M6/M8/ M10/M12.
- Metric coarse thread.
- Bushes and tools for 5 sizes with 2 different lengths of bushes.

Contents: 70 pcs.

(Thread Ø x pitch x length, mm)

- M 5 x 0.8 x 7.6
- M 5 x 0.8 x 10.0
- M 6 x 1.0 x 9.4
- M 6 x 1.0 x 12.0
- M 8 x 1.25 x 16.2
- M 8 x 1.25 x 11.7
- M 10 x 1.5 x 14.0
- M 10 x 1.5 x 20.0
- M 12 x 1.75 x 16.2
- M 12 x 1.75 x 24.0



THREAD CUTTING TOOL SET HSS 44 PCS.

Art. No. 5964065244

- Contents: 44 pcs.
- Taper taps in sizes M3, M4, M5, M6, M8, M10, M12.
- Second taps in sizes M3, M4, M5, M6, M8, M10, M12.
- Third taps in sizes M3, M4, M5, M6, M8, M10, M12.
- Dies in sizes M3, M4, M5, M6, M8, M10, M12.
- Adjustable performance tap wrench in sizes 2 - 6.3 mm; 3 - 9 mm
- Die holders in sizes 20 x 5; 20 x 7; 25 x 9; 30 x 11; 38 x 14.
- Twist drill bits in sizes 2.5mm; 3.3mm; 4.2mm; 5mm; 6.8mm; 8.5mm; 10.2mm.
- Tool holder with ratchet Suitable for Screw tap M3 - M8, square drive 2.4 - 5.5 mm.
- Slotted screwdriver 1 x 5.5 mm; Blade length 25 mm.

MATERIAL PROCESSING



CYLINDER SAW ASSORTMENT HSS SYSKO

Art. No. 5964063200

- Contents: 16 pcs.
- Quick and precision.
- Diameters of 19, 22, 25, 32, 35, 38, 44, 51, 57, 64, 67, 76 mm.
- Number of teeth: 6/inch.
- Cutting depth: 32 mm.



UNIVERSAL MILLING DRILL

Art. No. 069814

Cuts metal, wood and plastics and can also be used with hand drilling machines.



SPOT WELD CUTTER

Art. No. 06981

- Milling depth can be set by using the setting screw.
- Cutter crown can be used both sides.
- No tearing of sheet metal.
- No deformation.
- Quick and economical.



SPOT WELD CROWN


Art. No. 069801



STUD EXTRACTOR ASSORTMENT

Art. No. 06904211

- For driving in and extracting stud bolts with and without threads in seconds.
- Contents:
- 4 stud extractors: Dia (6, 8, 10, 12) mm.



BANDSAW BLADE

Art. No. 0602403833

- One blade for any job.
- Bi-metal (carrier made of spring band steel, teeth made of cobalt steel M42).



BIMETAL SAW BLADE HSS

Art. No. 0603300133

- High-alloyed, high-speed steel on tooth edge, tough tool steel on ridge.
- Tooth edges of fully hardened material make for an unbeatable cutting performance and service life.
- Works faster, longer and more economically with only one saw blade.



MOUNTED POINT SET KIT

Art. No. 068010

- Grinding Pencils for Coarse Grinding.
- Abrasive: specially fused alumina.
- Bond: ceramic.



SCREW EXTRACTOR ASSORTMENT

Art. No. 0695684353

- Chrome vanadium, forged.
- Contents:
- 5 screw extractors.
 - Sizes 1, 2, 3, 4 and 5 (M3-M18).

For more details on product - Refer master catalogue

MATERIAL PROCESSING



HOSE CLAMP

Art. No. 0539...

- Asymmetrical housing.
- Even distribution of force.
- Clamp head does not tilt away during tightening.
- Smooth and indented strap interior with rounded edges.



HOSE CLAMP RAPID

Art. No. 0547320032...

- Quick-release fastener.
- Clamping range (25–40 mm).
- Strap perforation cover/turned-up edges.
- Long hexagonal bolt.



JOINT BOLT CLAMP

Art. No. 0537125082...

- For hoses with a high level of hardness or inserts made of metal or plastic.
- Extremely high tightening force.
- Rounded edges/hose bridge.



ONE EAR CLAMP

Art. No. 0541175...

- Low overall height.
- Small clamping range.
- Precise installation, even in the tightest of spaces.



CABLE TIES

Art. No. 0502...

For quick, problem-free and reliable bundling of cables, cable harnesses, hoses, etc.

Width mm	Length mm	Bundling Ø mm	Art. No. neutral	Art. No. black
2.5	100	1.6 - 20	0502 11	0502 111*
3.6	140	1.6 - 30	0502 12	0502 121*
3.5	200	1.6 - 40	0502 13	0502 131
3.6	280	1.6 - 75	0502 135	0502 135 1
4.8	178	1.6 - 40	0502 14	0502 141*
4.8	280	1.6 - 75	0502 15	0502 151*
4.8	360	1.6 - 100	0502 16	0502 161*
7.8	180	1.6 - 40	0502 17	0502 171
7.8	360	1.6 - 100	0502 18	0502 181
7.8	540	25 - 150	0502 19	0502 190 1
7.8	750	40 - 220	0502 181 31	0502 181 3
12.5	720	48 - 220	0502 201	0502 201 1
12.5	1000	48 - 300	0502 202	0502 202 2

Width	Length	NDI Article Natural	NDI Article Black
2.5mm	100mm	NDI0000261990 1	NDI0000296990 1
3.6mm	300mm	NDI0000291990 1	-
3.6mm	150mm	NDI0000293990 1	NDI0000258990 1
3.6mm	200mm	NDI0000260990 1	NDI0000295990 1
4.8mm	200mm	NDI0000307990 1	NDI0000297990 1
4.8mm	364mm	NDI0000478990 1	NDI0000256990 1
4.8mm	300mm	NDI0000477990 1	NDI0000294990 1
7.6mm	364mm	NDI0000255990 1	NDI0000298990 1
7.6mm	200mm	NDI0000277990 1	NDI0000263990 1
7.6mm	530mm	NDI0000309990 1	NDI0000299990 1
7.6mm	450mm	-	NDI0000475990 1



HOSE CLAMP SETS

Art. No. 05391207

- Asymmetrical housing.
- Even distribution of force.
- Clamp head does not tilt away during tightening.
- Smooth and indented strap interior with rounded edges.



PIPE CLAMP

Art. No. 054222 20...

- Fastening clamp with rubber profile.
- Reinforced tabs.



LETTER PUNCHES

Art. No. 0695941625

- Letter Punch DIN 1451.
- Character height: 5 mm.

MATERIAL PROCESSING



O-RING MOUNTING KIT ASSORTMENT 8 PCS

Art. No. 5964046806

Contents:

- Instant Adhesive Super-fast Glue
- 1C cutter knife with slider
- O-ring cords in Diameter 5.7,3,2.4,1.6 (mm)
- O-ring Cutting Jig



MIG WELDING COIL

Art. No. 0982008200961 1 - 0.8 mm

Art. No. 0982012200961 1 - 1.2mm

- Welding wire for MIG/MAG welding AWS/ASME - SFAS .18 copper plated.
- Suitable for single and multi - layer welding of unalloyed steel with tensile strength of up to 560 N/mm².

Available:

- 12.5 kg, 0.8 mm.
- 15 kg, 1.2 mm.



ELECTRONIC SOLDER

Art. No. 0987111

- Flux as per DIN EN 29454-1/1.1.2.B.
- Processing temperature: 240 - 260°C.
- Melting range: 183 - 190°C.
- Low soldering temperature due to fast-flowing solder.



LIGHT WEIGHT BODY FILLER VAKU 3 kg

Art. No. 0892603803

- Excellent adhesion capacity
- Easy to sand
- Fine finish



POLYESTER PUTTY VAKU 1 kg

Art. No. 0892601801

- Light weight polyester putty formulated for fast work, dries rapidly and is easy to sand
- Excellent adhesion on iron, steel, aluminum, galvanized and hot galvanized surfaces, GFRP and wood
- Dry or Wet sand-able



RING CONNECTOR, INSULATED

Art. No. 05589011

For very fine core copper conductor.

MATERIAL PROCESSING



ELECTRICAL INSULATING TAPE SET 10 Pc.

Art. No. 0985100

- Safe insulation and labeling during electrical installation.
- VDE-tested in accordance with DIN EN 60454-3-1 Type 5



SEALING TAPE, INSTANT REPAIR TAPE

Art. No. 0985077230

- Highly resistant, self-fusing silicone tape for immediate repairs and sealing tasks.
- For repairing and sealing pipelines and hoses up to 8 bar (in Ø 1" pipes).
- For sealing/repairing heating pipes, cooling lines, fittings, water pipes etc.



HEAT SHRINK HOSE THIN-WALLED

Art. No. 07710...

- Shrink rate 2:1 without internal adhesive
- Length: 100 mm

Diameter	Art. no.
2.4 mm	0771 002 40
3.2 mm	0771 003 20
4.8 mm	0771 004 80
6.4 mm	0771 006 40
9.5 mm	0771 009 50
12.7 mm	0771 012 70
19 mm	0771 019 00
25.4 mm	0771 025 40



MASKING TAPE

Art. No.	Size
0992068012	12 mm x 30 m
0992068024	24 mm x 30 m
0992068048	48 mm x 50 m

- Slightly crepe paper adhesive tape for general masking tasks.
- Excellent adhesion on smooth and painted surfaces
- For masking all smooth surfaces found in the construction and automotive sectors
- Resistant to moisture and solvents.



BUTYL SEALING TAPE, VEHICLE

Art. No. 0894700122

- Highly adhesive.
- Double-sided sealing tape made from butyl rubber for overlapping sealing.

Width(mm)	Length(mm)	Thickness(mm)
12	15	2
20	15	2

For more details on product - Refer master catalogue

HAND TOOLS

RED LINE



SCREWDRIVER SET - 6 PCS.

Art. No. 575194226



SCREWDRIVER SET - 7 PCS.

Art. No. 57519348

Tip size: TX10, TX15, TX20, TX25, TX27, TX30, TX40

	Art.		Art.
0.6x3.5	5751 231 035	PH1	5751 232 1
1.0x5.5	5751 231 055	PH2	5751 232 2
1.2x6.5	5751 231 065		
1.2x8.0	5751 231 08		



WATER PUMP PLIER

Art. No. 572201563



ADJUSTABLE SPANNER

Art. No. 575422110



SIDE CUTTER

Art. No. 577201553



COMBINATION PLIERS

Art. No. 577201556



SNIPE NOSE PLIERS

Art. No. 577201557



COMBINATION SPANNER SET - 17 PCS

Art. No. 575430141



DOUBLE RING SPANNER SET - 12 PCS

Art. No. 575430542



HAND TOOLS

RED LINE



DOUBLE OPEN ENDED SPANNER SET - 12 PCS

Art. No. 575430443



1/4" SOCKET WRENCH ASSORTMENT 34 PCS.

Art. No. 576311341



**1/4" SOCKET WRENCH SET 17 PCS.
HEXAGON**


Art. No. 576311171



**1/2" SOCKET WRENCH SET 23 PCS.
HEXAGON**

Art. No. 576313231

HAND TOOLS



COMBINATION WRENCH ASSORTMENT - SHORT TYPE

Art. No. 07133014...

Art. No.	Width	Contents
071330140	8-22 mm	11 pcs
071330141	6-22 mm	17 pcs
071330142	5.5-34 mm	28 pcs



DOUBLE OPEN-END WRENCH ASSORTMENT

Art. No. 07133044...

Art. No.	WS	Contents
071330440	6-22 mm	8 pcs
071330441	6-27 mm	10 pcs
071330442	6-32 mm	10 pcs
071330443	6-32 mm	12 pcs



COMBINATION WRENCH ASSORTMENT, OFFSET - 9 pcs

Art. No. 071330250



COMBINATION WRENCH ASSORTMENT, INCH - 12 pcs

Art. No. 071330341



COMBINATION WRENCH SET, EXTRA LONG - 12 pcs

Art. No. 071330851



ADJUSTABLE OPEN-END WRENCH

Art. No.	Length
071522108	8 inch
071522110	10 inch

HAND TOOLS



**ALLEN KEY SET WITH BALL HEAD (REDLINE)
1.5 - 10 mm, 9 pcs**

Art. No. 575240100



**ALLEN KEY SET, HEXAGON SOCKET - BALL HEAD
1.5 - 10, 9 pcs**

Art. No. 071540100

- 9 pieces. Ball head, extra-long version, in plastic holder with sliding function.
- Contents: 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10.



**ALLEN KEY SLIDING SET
TX 9-40, 8 pcs**

Art. No. 071536100



**ALLEN KEY SET WITH BALL HEAD
TX 9-40, 8 pcs**


Art. No. 071537100



**ALLEN KEY SET SHORT
1.5 - 10 mm, 9 pcs**

Art. No. 071531100

Bright nickel-plated



**ALLEN KEY SLIDING SET
1.5 - 10 mm, 9 pcs**

Art. No. 071531120



GUN MAGAZINE SCREWDRIVER

Art. No. 0613640...

- With LED light, empty.
- High-performance ratchet screwdriver.
- 2C grip for optimum ergonomic work.
- Inclusive of 6 bits.



BIT SET - 105 pcs

Art. No. 0614250300

- Extensive 1/4 inch bit assortment with short and long versions of the most common standard and security bits.



**T-HANDLE RATCHET
SCREW DRIVER SET - 21 pcs**

Art. No. 0613630400

- High-performance ratchet screwdriver.
- Large number of different reversible blades, adapters, bit holders and socket wrench inserts.
- High-quality reversible blades.

HAND TOOLS



SCREWDRIVER SET TX 8 pcs

Art. No. 06139348

	A mm	Art. No.	P. Qty.
TX 10	80	0613 434 10	1
TX 15	80	0613 434 15	1
TX 20	100	0613 434 20	1
TX 25	100	0613 434 25	1
TX 27	115	0613 434 27	1
TX 30	115	0613 434 30	1
TX 40	130	0613 434 40	1
TX 45	130	0613 434 45	1



UNIVERSAL SHEARS

Art. No. 0714031028

- Universal straight-cutting leverage snips.
- Extra long, laterally stepped blades.
- Stainless steel cutting head.
- Robust, maintenance-free, bright nickel-plated steel handle.
- Angled cutting head.



CLIP REMOVAL PLIERS

Art. No. 0714500


- Simple removal of decorative trim, fender rubber, door paneling, etc.
- Does not damage door paneling.
- Removed clips can be re-used.
- Blade opening: 11 mm.
- Length: 280 mm.



PLIERS ASSORTMENT 1 4 pcs

Art. No. 071401560

Contents	Art. No.	Total length
Combination Pliers	0714 01 555	180 mm
Wire Stripping Pliers	0714 01 550	160 mm
Snipe Nose Pliers	0714 01 557	210 mm
Power Side Cutters	0714 01 552	160 mm



CIRCLIP PLIERS SET

Art. No. 071402...

Description	Art. No.
Straight curved	071402 30
Straight	071402 31
Curved	071402 32

BOLT CUTTER

Art. No. 071406 910

- Forged jaws.
- For materials up to 40 HRC.
- Rugged pipe legs with PVC handles.
- Eccentricity bolt for adjusting jaws.
- Length: 910 mm.
- Material: Steel.
- Material of the grip handle: Polyvinyl chloride.



HAND TOOLS



PRY REMOVAL SET 11 pcs

Art. No. 071458000



WORKSHOP FILE SET

Art. No. 071461 90

Contents:

- Flat blunt.
- Semi-circular.
- Circular.
- Triangular.
- Square.



CLIP REMOVAL 280 mm

Art. No. 071434 52



CLIP REMOVAL, Short

Art. No. 071434 53



CLIP REMOVAL, Long

Art. No. 071434 54



WINDOW AND TRIM WEDGE

Art. No. 071458 30



STEPPED LEVER

Art. No. 071458 38



WIRE BRUSH

Description	Art. No.
2 Rows	06972
4 Rows	06974



PLASTIC TRIM WEDGE

Art. No. 071458 32



UNIVERSAL HOOK

Art. No. 071458 39



CLAW GRIPPER, FLEXIBLE

Art. No. 0695559200



CLAW GRIPPER, FLEXIBLE, WITH PLASTIC HANDLE 500 mm

Art. No. 07153580

HAND TOOLS



MINI UNIVERSAL SAW

Art. No. 071464 03

- Aluminium frame, makes it light and easy to handle.
- Six fixed blade-adjustment options.



METAL BOW SAW, ERGONOMIC

Art. No. 05760071001

- Ergonomic, aluminium die cast metal bow saw.
- Extremely robust and highly scratch-resistant.
- Prevents hand slipping from saw.
- Two saw blade positions (45° and 90°).



WIRE BRUSH

Art. No. 0697140

- Design: Stainless 0.35 mm, smooth.
- Number of rows: 3.



UNIVERSAL SAW

Art. No. 060910

- For sawing in hard-to-reach places.
- Handle can be adjustable by turning.



CRIMPING PLIERS

Art. No. 0714107114

- For non-insulated cable connectors.
- Parallel crimping jaw guidance with ratchet release.
- 30% reduction in hand force.
- Number of crimping points: 3.
- Length: 215 mm.



SMALL SAW ARC

Art. No. 0609...

- With universal small saw blade.
- 32 teeth per inch.
- 145 x 6 x 0.45 mm.



CRIMPING PLIERS WITH INTEGRATED HOLDER

Art. No. 0714107130

- Crimping pliers exclusively for processing cable connectors in conjunction with single wire seals.
- Two crimping points: 0.35–0.5 mm² and 0.75–1.5 mm².



UNIVERSAL PULLER SET

Art. No. 071452 500

- For 6 different twin leg and triple leg pullers.
- Generous range of equipment for modular system configuration.
- Contains: One each of twin and triple leg cross-beam, 9 hooks in 3 sizes, 1 spindle.

HAND TOOLS



SIMPLEX SOFT FACE HAMMER - Rubber, D 50 mm

Art. No. 07157230

- Aluminium housing.
- 2 hammers in 1 with 2 different impact inserts.



SIMPLEX SOFT FACE HAMMER D 40 mm

Art. No. 0715721

- Soft face hammer with custom equipment.
- Impact insert combination creates 2-in-1 soft face hammer.
- Includes inserts: Black rubber composition and red plastic.



RECOIL FREE HAMMER

Art. No. 07157235

Recoil-free soft-face hammer for corners, edges and surfaces for which hammers with round impact inserts are unsuitable.



1/2" RATCHET - LEVER

Art. No. 071201201

- Fast, simple reversing of clockwise and counterclockwise rotation with lever.
- Coarse toothing with 48 teeth – 7.5° rotating angle.
- 12.5 Drive with Ratchet length as 250 mm.
- Safety lock with quick ejector – locked & unlocked.



3/8" RATCHET

Art. No. 07120380

With rotary disc reverse



MECHANICS HAMMER

Art. No. 0714732403

- Robust 3-component hammer handle for use in the toughest conditions.
- Vibration-free working.



NON-REBOUNDING HAMMER

Art. No. 071572 52

- Nylon head inserts.
- Casing filled with steel shot.
- As the hammer strikes, the steel shot delivers additional blows.
- No power loss due to rebounding.



1/2" RATCHET

Art. No. 07120120

- Reversible ratchet wrench with rotary disc reverse.
- Simple changeover from clockwise to anti-clockwise rotation.
- Fine tooth rotary disc with 72 teeth; 5° angle of rotation.
- Chrome-plated, 2-component handle.



1/4" RATCHET

Art. No. 07120140



1/4" RATCHET - LEVER

Art. No. 071201401

- 6.3 Drive with Ratchet length as 135 mm.



3/8" JOINTED HEAD RATCHET

Art. No. 071512 14

- Model: Chrome-plated.
- Head: Joint rotatable by 180 degree.
- Jointed-head ratchet can be extended using locking sleeve.

HAND TOOLS



TORQUE WRENCH REVERSIBLE RATCHET 1/4" (4-20NM)

Art. No. 0714720020

Compact, slim torque wrench with 1/4 inch square drive and ratchet head



TORQUE WRENCH

Drive	Measuring range		Art. No.
	Nm	lbf. ft.	
3/8"	20-100	15-73	0714720100 ¹
1/2"	20-100	15-73	0714720101 ²
1/2"	40-200	30-146	0714720200 ³
1/2"	60-300	45-220	0714720300 ⁴



DRIFT SET – 14 PCS

Art. No. 0965900701



1" SOCKET WRENCH ASSORTMENT 12 pcs

Art. No. 09651512



1/2" SOCKET WRENCH ASSORTMENT 23 pcs

Art. No. 096513230



1/4" SOCKET WRENCH ASSORTMENT 16 pcs

Art. No. 09651116



3/4" SOCKET WRENCH ASSORTMENT 15 pcs

Art. No. 09651415

HAND TOOLS



3/8" SOCKET WRENCH ASSORTMENT

Art. No. 096512 34

Contents: 34 pcs.

- Reversible ratchet.
- Extension, 75 mm.
- Extension, 250 mm.
- Cardan joint.
- 14 socket wrench inserts, short: Sizes 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm.
- 8 socket wrench inserts: E 5, 6, 7, 8, 10, 11, 12, 14 mm.
- 8 TX socket wrench inserts: TX 15, 20, 25, 27, 30, 40, 45, 50 mm.



1/2" & 1/4" SOCKET WRENCH SET

Art. No. 09651756

Contents: 56 pcs .

- 1/4"
- Ratchet.
 - Extension, 100 mm.
 - Extension, 150 mm.
 - Cardan joint.
 - 12 Socket wrenches: 4; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
- 1/2"
- Ratchet.
 - Extension, 125 mm.
 - Extension, 250 mm.
 - Cardan joint.
 - 19 Socket wrenches: (10 - 32) mm.
 - Handle, 1/4".
 - Adapter with quick-change chuck.
 - 15 Bits: PH 1, 2, 3; slotted 0.8 x 5.5 mm; Internal hex. 3, 4, 5, 6 mm.
 - TX 10, 15, 20, 25, 27, 30, 40 mm.



UNIVERSAL TOOL CASE 93 PCS.

Art. No. 096593180

Contents: 93 pcs.

- The ideal choice for use on the move
- Extensive set
- All common tools in one case
- High-quality case
- Plastic case with snap lock

PNEUMATIC TOOLS



PNEUMATIC MULTI CUTTER

Art. No. 0703 862 1

- Powerful unit used for removing adhered car windows, for vehicle body cutting tasks and for grinding corners and edges.
- Versatile hexagonal mount, Oscillating movement.
- Blade oscillation (0 - 20,000) rpm.
- Average air consumption 370 L/min.



PNEUMATIC VARIO DRILL VD 90

Art. No. 0703090...

- For fast, convenient removal of spot welds.
- The 360° rotatable contact bail prevents slipping and ensures easy working, even in hard-to-reach places.
- Low speed 800 rpm.
- High Torque.



PNEUMATIC RIVETER

Art. No. 070393722

- Handy, compact pneumatic unit for processing blind rivets, with rivet mandrel extractor activated by a lockable sliding switch.
- Can be used to process blind rivets with a diameter of 2.4 mm–5.0 mm made of any material, and limited use for blind rivets with a diameter of 6.0 mm made of aluminium/steel.
- Maximum mandrel diameter: 3.2 mm.
- Patented gripping jaw system.
- Rivet setting force: 9000 N.
- Minimal compressed-air consumption.
- Over-pressure valve prevents overload.



PNEUMATIC JIGSAW

Art. No. 0703881

- Robust body saw for long operating times and tough applications.
- Ideal for cutting aluminium, plastic, fibreglass (max. 4 mm) and sheet metal up to 1.6 mm.
- Saw blade rotates through 180° for working overhead.
- Strokes: 10000 rpm.
- Weight: 0.68 kg.



PNEUMATIC DRILL

Art. No. 07037960

- Especially lightweight, handy drill with quick-action drill chuck.
- Right/left changeover with 10-mm drill chuck.
- Max. idle speed: 1700 rpm.
- High-quality drill chuck.
- Precision planetary gear for maximum power transmission and long service life.



PNEUMATIC RATCHET

Art. No. 07038120

- Durable ratchet screwdriver with speed regulation and plastic handle to protect against vibrations and cold hands.
- Precision planetary gear.
- Max. torque: 70 Nm.
- Right/left changeover switch recessed.
- Swivelling compressed-air connection.

PNEUMATIC TOOLS



3/8" PNEUMATIC IMPACT WRENCH

Art. No. 070331138

- Twin hammer mechanism
- Max. Torque: 270 Nm.
- Avg. operating pressure: 6.2 bar



1/2" PNEUMATIC IMPACT WRENCH

Art. No. 07037560

- Outstanding power-to-weight ratio.
- High performance twin hammer impact mechanism and heavy duty hammer system provides up to 860 Nm of maximum torque in reverse.
- Six-position power management operated by turn-knob in forward & reverse.



1/2" PNEUMATIC IMPACT WRENCH

Art. No. 07037360


- Reliable, powerful impact wrench with fast torque buildup.
- Recommended maximum bolt size: M15. Ideal for changing tires.
- Max. releasing torque: 569 Nm
- Avg. operating pressure: 6.3 bar



3/4" PNEUMATIC IMPACT WRENCH

Art. No. 070331134

- High-quality twin hammer mechanism provides more power and smooth balanced blows for reliable, maximum performance values.
- Max Torque: 1490 Nm.



1" PNEUMATIC IMPACT WRENCH, LONG

Art. No. 07037700

- Working torque levels: 1152 - 2168 Nm.
- Max. Loosening torque: 2846 Nm.
- High-quality pin-less hammer striking mechanism.
- Avg. operating pressure: 6.3 bar.
- Weight: 13.06 kg



1" HEAVY DUTY PNEUMATIC IMPACT WRENCH, LONG

Art. No. 07037900

- Working torque levels: 1287 - 2440 Nm
- Max. Loosening torque: 3661 Nm
- High-quality pin-less hammer striking mechanism.
- Avg. operating pressure: 6.3 bar.
- Weight: 17.3 kg

PNEUMATIC TOOLS



1" PNEUMATIC IMPACT WRENCH, SHORT

Art. No. 07037760

- Extremely rugged and powerful impact wrench with quick torque buildup.
- Ideal for service work on trucks and buses, as well as on construction and agricultural machines.
- 4 tightening torque levels (895 - 1694) Nm.
- Max. loosening torque 2440 Nm.



PNEUMATIC DIE GRINDER DSG 22 POWER

Art. No. 07032340

- 6 mm and 1/4" collet in the delivery scope
- Idle speed Max.: 22000 rpm
- Ideal for grinding edge-breaking, deburring and polishing with high power



PNEUMATIC DIE GRINDER DSG 25

Art. No. 07032300

- 6 mm and 1/4" collet in the delivery scope
- Max. Idle speed: 25000 rpm
- Ideal for grinding edge-breaking, deburring and polishing.



1" IMPACT SOCKET SET, SHORT - 4 pcs

Art. No. 07141500

Art. No.	L in mm	Model	Size in mm
07141502	58	Metric, Short	27
07141503	60		30
07141504			32
07141533			33



1/2" IMPACT SOCKET SET, SHORT - 4 pcs

Art. No. 071413251

Art. No.	L in mm	Model	Size in mm
07141319	45	Metric, Short, Deep	17
07141320			19
071413212			21
07141321			22



1/2 INCH IMPACT SOCKET WRENCH SET - 3 pcs

Art. No. 071413030

- 17 mm
- 19 mm
- 21 mm



PNEUMATIC DIE GRINDER DSW 22

Art. No. 07032310

- 6 mm and 1/4" collet in the delivery scope
- Max. Idle speed: 22000 rpm
- Ideal for grinding edge-breaking, deburring and polishing with high power

PNEUMATIC TOOLS



1/2" IMPACT SOCKET WRENCH, SHORT

Hexagon, metric, short

Size in mm	L in mm	Art. No.
10	38 mm	0714 21 10
11	38 mm	0714 21 11
12	38 mm	0714 21 12
13	38 mm	0714 21 13
14	38 mm	0714 21 14
15	38 mm	0714 21 15
17	38 mm	0714 21 17
19	38 mm	0714 21 19
21	38 mm	0714 21 21
22	38 mm	0714 21 22
23	40 mm	0714 21 23
24	40 mm	0714 21 24
27	42 mm	0714 21 27



1/2" IMPACT SOCKET WRENCH, LONG

Hexagon, metric, long

Size in mm	L in mm	Art. No.
21	29.8 mm	0714 21 211
19	28 mm	0714 21 191



1/2" POWER EXTENSION

Length	Art. No.
150 mm	0714 21 125
250 mm	0714 21 250
75 mm	0714 21 75

1/2-inch square drive and ball lock

- Suitable for all standard compressed air and electric screwdrivers



3/4" IMPACT SOCKET WRENCH, SHORT

6-point, metric, short

Size in mm	L in mm	Art. No.
19	53 mm	0714 43 19
21	53 mm	0714 43 21
22	53 mm	0714 43 22
27	53 mm	0714 43 27
30	53 mm	0714 43 030
32	57 mm	0714 43 32
33	57 mm	0714 43 33
34	57 mm	0714 43 34
36	57 mm	0714 43 36



3/4" IMPACT SOCKET WRENCH, LONG

Hexagon, metric, long

Size in mm	L in mm	Art. No.
24	38 mm	0714 43 024
30	46 mm	0714 43 130
36	54 mm	0714 43 361



1" IMPACT SOCKET WRENCH, LONG

Hexagon, metric, long

Size in mm	L in mm	Art. No.
27	90 mm	0714 10 271
32	90 mm	0714 10 321
33	90 mm	0714 10 331
36	92 mm	0714 10 361



1" T-HANDLE

Art. No. 0712130201

Sliding handle with ball lock can be used as a T or an L-handle.

- Design: Chromium-plated
- Tip size: 1/2 inch

PNEUMATIC TOOLS



PNEUMATIC ORBITAL SANDER

Art. No. 0703 999 010 (Central Vacuum)

- Sanding of putty, fillers, paint finishes and primers.
- Also for grinding of wood, plastic material, non-ferrous metal, steel sheet metal, glass and earthenware, building material etc.
- Dust extraction with vacuum cleaner for Central Vacuum Machine.
- Self Vacuum Machine provided with dust collection bag and hose.



Art. No. 0703 999 009 (Self Vacuum)



PNEUMATIC BELT SANDER

Art. No. 07032810

- Tool with high removal capacity, ideal for sanding, removes burrs and rust.
- Adjustable arm up to 360 °
- Arm Holder with integrated spring that keeps tension on the sanding belt.
- Quick and easy replacement of sanding belt.



PNEUMATIC RIVETER

Art. No. 070393722

- Handy, compact pneumatic unit for processing blind rivets, with rivet mandrel extractor activated by a lockable sliding switch.
- Can be used to process blind rivets with a diameter of 2.4 mm–5.0 mm made of any material, and limited use for blind rivets with a diameter of 6.0 mm made of aluminium/steel.
- Maximum mandrel diameter: 3.2 mm.
- Patented gripping jaw system.
- Rivet setting force: 9000 N.
- Minimal compressed-air consumption.
- Over-pressure valve prevents overload.



PNEUMATIC BELT SANDER DBS 10 STANDARD

Art. No. 07032710

- Handy and compact pneumatic belt sander for 10x 330-mm grinding belts.
- For grinding, deburring and satin finishing in hard-to-reach places.
- Quick and simple grinding belt replacement.
- The grinding arm can be rotated through 360°, ensuring great ease of operation.



PNEUMATIC DRILL DBM 10 mm

Art. No. 07037960

- Especially lightweight, handy drill with quick-action drill chuck.
- Right/left changeover with 10-mm drill chuck.
- Max. idle speed: 1700 rpm.
- High-quality drill chuck.
- Precision planetary gear for maximum power transmission and long service life.



FILTER REGULATOR LUBRICATOR

Art. No. 069910112

- Filter, Regulator, Oiler combination. Supplies clean, regulated, oiled air and increase the performance and service life of your tools.
- High degree of cleaning of the compressed air, filter element 5 µm.

PNEUMATIC TOOLS



PNEUMATIC HOSE DRUM

Art. No. 069999007/8

- Length: 100 mm
- Max. working pressure: 120 psi
- Colour: Blue & Yellow
- Material: Polyurethane



PNEUMATIC SPIRAL HOSE

Art. No. 0699940610

The highly flexible, fabric reinforced PVC hose for highest demands in the area of compressed air.



AIR BLOW GUN

Art. No. 07149220

- Continuously adjustable.
- Insulated, ergonomic handle.
- Lightweight, rugged design.



AIR PISTOL

Art. No. 0714922100



MALE COUPLER - EX STEEL

Art. No.	CON Size
0699999000	1/4"
0699999001	1/2"



MALE COUPLER - EX BRASS - 1/4"

Art. No. 06992114



MALE PLUG STEEL - IN THREAD - 1/4"

Art. No. 0699999010



FEMALE QRC STEEL for 8 x 12 mm HOSE

Art. No. 069918121



FEMALE COUPLER - IN STEEL

Art. No.	CON Size
0699998050	1/4"
0699998051	1/2"



FEMALE COUPLER - IN STEEL 1/4"

Art. No. 06991014



FEMALE QRC STEEL 1/4" EX THREAD

Art. No.	CON Size
0699999002	1/4"
0699998052	1/2"



1/4" SWIVEL CONNECTOR For 8 x 12 mm HOSE

Art. No. 069971110

EQUIPMENTS



VACUUM CLEANER 32 L, WET & DRY

Art. No. 59976230230

- Heavy duty vacuum cleaner system for wet and dry application
- Ideal for any type of floors or carpeted surface to remove dry dusts and wet spills.
- Sturdy high grade stainless steel body.
- Cylindrical filter for optimum dust filtration.
- Single motor.



VACUUM CLEANER 78 L, WET & DRY

Art. No. 0702400803

- Heavy duty 1300 x 2 (2600) Watt motor for toughest application.
- Sturdy high grade stainless steel body.
- Trolley with 2 fixed big wheels and 2 swivel wheels for easy maneuverability.
- Uniquely designed Tilting Drum enables easy disposal.



DUST EXTRACTION SYSTEM

Art. No. 0988995246990 1

For dust extraction with sanding systems in automotive bodyshop, metal work, wood industries etc.

- Power connection directly on dust extraction machine for power tools.
- Automatic on/off of dust extractor.
- Three equipments (Two Pneumatic and One Power Tool) can be used simultaneously.
- Automatic filter cleaning system.



MINI DUST EXTRACTION SYSTEM

Art. No. 0988995245990 1

Easy to use Mini- Dust Extraction Machine for sanding systems in automotive body shop, metal work, construction and wood industries etc.

* Accessories/material supplied along with machines.

Art. No.	Product Description	Qty.
06992014 005 5	NPL-PN-BRS-JT-G1/4IN	1
06992114 005 5	NPL-PN-BRS-ET-G1/4IN	1
0702400800961 1	AY-FLEXHOSE-VC-D32/40MM-L3,5M	2
0702400801961 1	DUST EXTRACTION -TWIN MOTOR-78 LTR2400W	1
0703999010961 1	RANORBSNDR-PN-DISC-UNC-CENTVAC-D150MM	2
0703999010961 1	DUST COLLECTION BAGS	1



HIGH PRESSURE JET CLEANER 215

Art. No. 59976230220

- High pressure powerful cleaning system for automotive, construction, industries etc.
- Heavy duty pump powered by 3 phase powerful asynchronous continuous duty electric motor, protected with overload cutout.
- Operating pressure of 30 to 215 bar.

EQUIPMENTS



A/C SERVICE STATION 1200i (R-134a)

Art. No. 0900764991

- Fast and efficient unit that makes servicing mobile a/c systems SIMPLE, PRECISE and SAFE.
- The system provides electronically controlled functions whilst keeping the operator constantly informed and in full control.
- The unit is suitable for servicing passenger and light commercial vehicle air-conditioning systems.
- Refrigerant Recovery & Recycling.
- Oil and/or UV Dye Injection.
- Refrigerant Charge.
- Automatic Cycle Mode.



COOLIUS A30

Art. No. W050103030

- Fully automatic A/C service with R134a refrigerant on buses, passenger cars, vans, commercial vehicles, construction site vehicles, agricultural vehicles and rail vehicles.
- Innovative Coolius Select.
- Cost-saving filter and counter.
- Fully automatic oil management for exact oil filling.
- Refrigerant tank capacity: 35 kg.



COOLIUS A50

Art. No. W050105005

- Powerful and robust A/C service unit for fully automatic A/C service with the refrigerant R134a.
- Ideally suited for servicing cars, vans, commercial vehicles, construction vehicles and agricultural vehicles.



COOLIUS Y50A

Art. No. W050115025

- Powerful and robust premium class service unit for fully automatic A/C service with the refrigerant R1234yf with integrated refrigerant analysis unit.
- Ideally suited for servicing cars, vans, commercial vehicles, construction site vehicles and agricultural vehicles.



PLASMA CUTTING MACHINE POWERCUT 50S

Art. No. 5952200050961 1

- Advanced IGBT technology provides reliable constant work with energy savings. Precise cutting edges for all thicknesses up to 10 mm.
- Max Current: 50 A

EQUIPMENTS



AIR COMPRESSOR

Art. No.	Motor Capacity
5997628355	3 HP
5997628356	5 HP
5997628357	7.5 HP
5997628358	10 HP
5997634070	15 HP

- Wuerth Air Compressor range covers all categories from 3 HP to 15 HP.
- Two stage reciprocating air compressor
- Air cool
- Low noise
- Low power consumption
- Automatic Start/Stop



COMPRESSOR POWER 50 L

Art. No. 07012250

- Powerful, robust V-belt piston compressor for flexible applications within the workshop.
- Low speed and quiet running.
- Adjustable working pressure and good air quality.
- Motor output: 2.2 kW
- Max. pressure: 10 bar
- Tank capacity: 50 L



SPOT DENT PULLER

Art. No. 0691500166

- Mainly used in automobiles.
- For quick removal of dents.
- Saves time and material.

Standard accessories:

- Sliding hammer.
- Washer welding tip.
- Long washers.
- Claw jaw hammer.
- Zig-zag welding tip.
- Copper triangle tip.
- Zig-zag wire.
- Washers for welding.
- Carbon rod.



MIG WELDER 400 A

Art. No. 5997669381090 1

- Digitally controlled inverter with latest IGBT technology
- Heat insulation class „ F " - electric components can work on temperatures up to 155 °C.
- IGBT technology provides flawless welding under unstable voltage (powered by generators).
- Detachable wire feeding unit is connected to machine with 5 m long cable, providing much more mobility to welder.



MIG WELDER 250

Art. No. 5952001250

- Digitally controlled new technology IGBT inverter for MIG welding.
- Stepless induction adjustment.
- 2 in 1. Two different welding modes - MIG and STICK (electrode)

EQUIPMENTS



TOOL CASE STANDARD

Art. No. 071593 20

- Type: 5 pcs.
- Simple, solid design.
- Length x width x height: 430 x 200 x 200 mm
- Collapsible, with robust rivet hinges.
- Foldable hollow carrying handle.
- Can be locked with a padlock.



TOOL CASE PROFESSIONAL

Art. No. 071593 22/23/24

- Type: 3/5/5 pcs.
- Highly robust and torsion-resistant.
- Length x width x height: 430 x 200 x 150 mm.
- Folding, with sturdy riveted hinges.
- Folding tubular carry handle.
- Cover with continuous strap hinge.
- Can be locked by a padlock.



TOOL CASE

Art. No. 071593 170

- Made from sheet steel, robust design with reinforced lid.
- Length x width x height: 690 x 360 x 310 mm.
- Lid compartment for drawings.
- Small components insert with spirit level holders.



TOOL BAG

Art. No. 071593 65

- Roll-out bag with 19 pockets in 2 rows.
- Black synthetic leather.
- 2 snap locks.
- Width: 420 mm.
- Height: 210 mm.
- Product weight (per item): 417 g.
- Material: Faux leather.



WORKSHOP TROLLEY BASIC

Art. No. 5584699005

- 1-drawer: 568 x 398 x 60 mm.
- 4-drawer: 568 x 398 x 124 mm.
- Total load: 250 KG.
- 45mm ball bearing slides, static loading capacity 25KG per drawer.
- Central locking with cylinder lock.
- Two running wheel and two steering wheel with locking brakes.

5 Drawer



WORKSHOP TROLLEY, M-SERIES 5 DRAWER & 7 DRAWER

Art. No. 0962699215 (5 DRAWER)

Art. No. 0962699207 (7 DRAWER)

- 930 x 710 x 410 mm (H x W x D).
- Solid sheet steel design.
- ABS top tray with recesses for small parts.
- Two steering wheels, 100 mm dia., one wheel with locking.
- Load capacity: 300 kg (both).

7 Drawer



SAFETY PRODUCTS



SAFETY GOGGLE, POLYCARBONATE

Art. No. 0899102230

- Unrestricted peripheral perception through panoramic lens with 180° field of view.
- Polycarbonate lens with matt roof section to suppress reflections.
- 100% UV protection (up to 400 nm).



SAFETY EYE WEAR

Art. No. 0899103120/121/122

- First class Polycarbonate lens.
- Sporty & dynamic design.
- Nylon frame with optional color lenses.
- Excellent anti-scratch & impact resistance.
- UV Protection upto 99%.
- For construction, grinding, milling, etc.



SAFETY GOGGLE, CEPHEUS

Art. No. 0899102250

- Lightweight safety goggles with duospherical lens.
- Sporty flexible arms for pressure-free fit.
- Unrestricted side perception.
- Highly impact-resistant polycarbonate lens.
- 100% UV protection (up to 400 nm).



SAFETY GOGGLE, FULL-VISION

Art. No. 0899102110

- All-round ventilation system.
- Frosted frame suppresses light reflections.
- Suitable for combining with half face masks.
- Acetate lens resistant to chemicals.
- Anti-fogging coating.
- Easy-change lens and 100% UV protection.
- Adjustable head strap.



FACE PROTECTION SCREEN

Art. No. 0899101202

- Perfect protection for grinding and cutting work, as well as against dripping or splashing liquids.
- Large, resistant polycarbonate visor with wide field of view.
- Multiple visor inclination adjustment settings.
- Soft padding on all parts with head contact.



SAFETY HELMET

Art. No. 0899200230 - With Strap

Art. No. 0899200231 - With Ratchet

- Durable HDPE shell.
- 6 point pin lock suspension for secure fitting.
- Colours: Yellow & White.

Application area:

- Construction, Metal Industry, Automotive, Cargo, Hospitality, Facility services.



AUTOMATIC WELDING HELMET SOLAR II 9-13

Art. No. 0984700400

- Ideal for all applications using a variety of welding processes
- 2 modes of protection available, automatic and manual adjustment
- Protects against weld spatter and heat and protects during overhead welding
- Min./max. dark-to-light switching time: 0.25-0.25 ms

SAFETY PRODUCTS



PROTECTIVE GLOVE, COTTON KNITTED – PVC DOTTED

Art. No. 0899404318

- 7 Gauge polycotton knitted glove, with one side red PVC dots on the palm.
- Grey shell: 65% polyester & 35% cotton.
- Red dots, 100% PVC.
- Good grip performance.
- Good wearing comfort & fit.

Applications:

Basic working glove for light warehouse work, transportation, glass/ceramic industry (Handling large panes or dry metal).



PROTECTIVE GLOVE, COTTON KNITTED

Art. No. 089940014...

- 7 gauge grey poly/cotton recycled yarn knitted gloves (50 g & 60 g).
- 100% white polyester over locking.
- Good wearing comfort & fit.

Applications:

Basic working glove for light warehouse work, transportation, glass/ceramic industry (Handling large panes or dry metal).



PROTECTIVE GLOVE, TOP ALL-COWHIDE LEATHER

Art. No. 0899402...

- Rugged work glove made from high-quality full-grain cowhide.
- Good flexibility and grip.
- Backs of hands and cuffs made from heavy cotton fabric.
- Backs of hands elasticated for more safety.



PROTECTIVE GLOVE, MECHANIC

Art. No. 0899400529

- Universal glove with good functional resistance and excellent dry and wet grip via special surface texturing.
- Outstanding flexibility for fine installation work.
- Skin-friendly, seamless knitted nylon lining.
- High-quality natural latex coating with open backs of hands for good breath ability.



PROTECTIVE GLOVE, SPLIT COWHIDE LEATHER

Art. No. 0899400251

- Robust working glove made of split cowhide leather.
- Backs of hands made from heavy cotton fabric.
- Knuckle guards and fingertips made from split leather.
- Rubberised cuffs.
- Double-stitched.
- Cotton half-lining.
- Good resistance to abrasion and cuts.



PROTECTIVE GLOVE, CUTTING WITH KEVLAR®

Art. No. 0899400409

- Seamless, round-knit carrier fabric made of 100% Kevlar®.
- Good grip thanks to laminated natural latex coating on inner surfaces of hand, thumbs and fingers.

Applications:

- Glass industry, Recycling plants, Metal press plants, metalworking, Plastic industry, Paper and cardboard industry.
- CAT. II / EN388 Performance level: 4.3.4.3



PROTECTIVE GLOVE, CUTTING WITH DYNEEMA® FIBER

Art. No. 0899400740

- High degree of abrasion resistance and mechanical resistance.
- Excellent thermal conductivity of Dyneema® fibre. Handling sharp work pieces and tools.
- Protects hands from contaminants and mechanical strain to the skin.
- Cut 3/100.
- CAT. II / EN388 Performance level: 4.3.4.3

SAFETY PRODUCTS



DISPOSABLE NITRILE GLOVE

Art. No. 089947001

- Liquid-proof, food-safe disposable glove.
- Applications:
- Laboratory work.
- Food processing industry.
- Catering.
- Pharmaceutical and chemical industry, electrical engineering.
- Decorating, spray-painting and polishing.
- Cleaning and maintenance work.
- Workshop jobs.



DISPOSABLE NITRILE GLOVE, EXTRA STRONG

Art. No. 0899470409

- Free of natural rubber.
- Does not contain allergy-triggering latex proteins.
- Good grip via roughened surface.
- Tested as food-safe.
- Material thickness: 0.20 mm ± 0.01 mm.



PROTECTIVE GLOVE, BUTYL CHEMICAL

Art. No. 089943030...

- Gas-tight and resistant to exhaust gases produced by combustion processes.
- Outstanding protection against dangerous chemicals.
- Good mechanical resistance.



DISPOSABLE VINYL GLOVE

Art. No. 0899460...

- Powder-free, liquid-sealed disposable vinyl glove.
- Practical disposable dispenser.
- Can be worn on both sides.
- Tested as food-safe.
- Material thickness: 0.12 mm ± 0.03 mm.



ARM GUARD GLOVE WITH THUMB HOLE

Art. No. 0899 400 4..

- Ideal cutting and heat-protection for the heel of the hand, wrist and forearm areas.
- Two-layer, seamless round-knit fine fabric design made of 100% Kevlar®.



PROTECTIVE GLOVE, YELLOW NITRILE

Art. No. 08994100...

- Nitrile coating on sealed cotton interlock lining with knitted wristband.
- Good abrasion resistance.
- Repels liquid, oil and grease.
- Very good dry grip.
- Cat. II/EN388 Performance level: 3.1.1.1



COTTON JERSEY GLOVE

Art. No. 899400140

- Good heat and cold protection.
- Can be worn on both sides.
- Seamless, round-knit carrier fabric made of 100 % Kevlar®.

SAFETY PRODUCTS



BREATHING MASK, FFP 1

Art. No. 0899110400

- Excellent fit on the face.
- Secure seal in the nose area.
- Comfortable to wear.
- Excellent filter performance.
- Tear-resistant head straps.
- Without exhalation valve.
- CE 0, 194.



BREATHING MASK WITH VALVE

Art. No. 0899110501

- Complete protection and comfortable to wear.
- Exhalation valve ensures the user feels comfortable wearing the mask.
- Minimal breathing resistance.
- Perfect, sealed fit.
- Preformed design.
- Nose clip for optimised fitting.
- Half sealing lip in the nose area.
- Looped-through cotton head strap.



BREATHING MASK, FFP 2

Art. No. 0899121

- Minimal breathing resistance.
- Perfect, sealed fit.
- Preformed design.
- Nose clip for optimised fitting.
- Half sealing lip in the nose area.
- Looped-through cotton head strap.
- CE 0, 194.



BREATHING MASK FOLDABLE

Art. No. 0899110200

- Folds completely flat.
- Complete protection and comfortable to wear.
- Minimal breathing resistance.
- Nose clip for optimised fitting.
- Half sealing lip in the nose area.
- Looped-through cotton head strap.



PAINTER'S SET - 3 pcs

Art. No. 0899175020

- 1 x half mask facepiece HM 175.
- 2 x Combination filter A2P3 RD
- Ready-for-use breathing protection set for painting and decorating work.



COMBINATION FILTER A2P3 RD

Art. No. 0899175011

- For breathing protection series 175
- MOQ: 2 Nos.



HALF FACE MASK HM 175

Art. No. 0899175000

- Custom-fit breathing protection for maximum comfort
- Easy use of various filters
- Chemical and paint processing industry, waste disposal and decontamination companies, wood processing as well as floor installers, plastics processing industry, automotive and other workshops (with the appropriate filters in each case).



EAR PLUG, CORDED X100

Art. No. 0899300332

- Ergonomic, cone-shaped disposable ear plugs for use in extremely noisy environments.
- Very good insulation.
- Excellent speech audibility.
- Very comfortable to wear.



EAR PLUG, CORDED

Art. No. 0899300338

- Soft fins make these ear plugs very comfortable to wear.
- High noise insulation with good signal and voice detection.
- Supplied in a practical storage box.

SAFETY PRODUCTS



SAFETY WARNING VEST

Art. No. 0899078/002

- With hook-and-loop closure.
- 100% polyester.
- Two 5-cm wide reflective strips around the circumference.
- Individually packaged in poly bags.



WELDER'S APRON

Art. No. 0984312

- With chest flap.
- Universally adjustable leather straps.
- Smooth surface.



WELDER'S LEGGING

Art. No. 0984317

- Made from split leather.
- With sole and stirrup.
- With two buckled belts.
- Shaft height approx. 40 cm.



REUSABLE PAINTING SUIT

Art. No. 089902501...

- With hood and drawstring.
- Silicone-free & 100% polyester.
- Anti-static and lint-free.
- Elasticated sleeves, ankles and waist.
- Two-way covered zip.
- Washable up to 40°C or dry cleaning.



OVERSHOE

Art. No. 08990281

- Overshoes for hygiene and dirt protection in chemical industry, pharmaceuticals, cosmetic manufacturing, food processing.
- Material thickness: 20 µ.
- Material: Polyethylene.
- Universal size: Length 40 cm.



SAFETY SHOE S1, Single Density

Art. No. 5357943/38-46

- Single density.
- Buffalo black leather Upper NON DIN (Non-Waterproof) synthetic non-woven vamp lining.
- Full mesh black lining.
- Anti-Impact, Anti-static, Oil resistant, Shock absorbent.



SAFETY SHOE S1, Double Density

Art. No. 5357121/38-45

- Double density.
- Buffalo black leather Upper NON DIN (Non-Waterproof) synthetic non-woven vamp lining.
- Anti-Impact, Anti-static, Oil resistant, Shock absorbent.

POLISHING OF PAINTED SURFACE



DIAMOND CUT

Art. No.	Content
0893463001	1 L
0893463020	200 ml
0893463010	100 ml



PAINT RESTORATION POLISH

Art. No.	Content
0893151101	1 L
0893151200	200 ml
0893151102	100 ml



RF 1000 - NANO CUT

Art. No.	Content
5997655753	1 kg
5997655754	100 ml



P10 FAST GRINDING POLISH PLUS

Art. No. 0893 150 010

- Highly abrasive high-gloss polish for quickly removal of surface defects in fresh repair and hardened top-coat paints.
- Can be applied manually and by machine.
- For conventional and scratchproof paint types.
- Suitable for use on used and new paint surfaces.



POLISHING MACHINE EPM 2000-7

Art. No. 5717010010



P 30 ANTI-HOLOGRAM POLISH PLUS

Art. No. 0893 150 030

- Anti-hologram high-shine polish for lasting elimination of streaks and holograms on dark vehicle paints and for efficient removal of fine signs of sanding or slight paint irritations on used and new car paints.
- Manual/Mechanical Polishing.



PNEUMATIC MINI POLISHER

Art. No. 07032330

- Ergonomic and rubberised handle.
- Lightweight and compact design.
- With speed control.



GLOSS SEAL 250 ml

Art. No. 08930126

- Provides lasting, reliable protection with extremely simple application.
- Resistant to weathering, salt, sunlight, cold cleaner and other influences that generally affect paint.

POLISHING OF PAINTED SURFACE



HOOK & LOOP GRIT 2000 FINE SANDING DISC

Art. No. 0584 200 0

Micro-fine water sandpaper used for the removal of dust inclusions and fine surface defects.



SELF ADHESIVE GRIT 3000 FINE SANDING DISC

Art. No. 0584 023000

Micro-fine water sandpaper used for the removal of dust inclusions and fine surface defects.



HOOK & LOOP PU FOAM PAD

Art. No. 058601

- Optimum results.
- Foam intermediate layer allows users to gain a good feel for the surface.
- Time-saving & Velcro mount for rapid pad changes.



SOFT POLISHING PAD

Art. No. 058528

- For final polishing.
- Extremely fine and soft polishing pad with Velcro fastener for the removal of micro-scratches and holograms.



BUFF PAD

Art. No. 0585195

- Special polishing sponge for machine polishing and cleaning of vehicle paints.
- Suitable for light and dark paint surfaces.



ORANGE FOAM PAD

Art. No. 0585026

- Soft polishing pad (orange) for a perfect finish, for sealing or for easily removing misting and holograms.
- Maximised effect with minimised wear.
- Greater flexibility over any body shape.



MICROACTIVE CLOTH PRO GLOSS

Art. No. 0899900139

- Cloth with dense fibre structure for deep gloss when cleaning, polishing and dusting.
- Extra-fine looping.
- Does not scratch paint.
- Easy-care properties.

REFILLO®

Refilling Made Easy System solutions for active chemical substances

- Safe
- Economical
- Environmentally Friendly



Self-filling can
Art. No. 0891800...



ORSY Station
Art. No. 0961 891 001

Compressed-Air Filling Station
Art. No. 0891800001



The REFILLO® System

The safe and economical system for **manual** refilling of spray cans with active substances and compressed-air.



ACTIVE SUBSTANCES FOR THIS SYSTEM

- Brake Cleaner
- Rost Off
- Silicone Spray
- Active Glass Cleaner
- BMF-Cleaner
- Interior Cleaner
- Cut + Cool - Cutting and Drilling Oil
- Leak Detector
- Wood-Slide

How to operate REFILLO®



1. Open the bottle cap.



2. Fill with substance.



3. Place the bottle on compressed-air filling station.



PARTNER TO THE INDUSTRY

FEBRUARY 2023

Wuerth India Pvt. Ltd.

Central Support Centre:

Mumbai: No 703/704, WINDFALL, Sahar Plaza Complex,
Andheri - Kurla Road, J B Nagar, Andheri (East), Mumbai - 400059

Regional Support Centre:

Chennai: No. 156, Doshi Towers, 6A & 6B,
Poonamallee High Road, Kilpauk, Chennai - 600010

Regional Support Centre:

Delhi: No. 349, Patparganj Industrial Estate
Delhi - 110092

Regional Support Centre:

Kolkata: Plot No. 1812, PS Srijan Corporate Park,
GP Block, Sector V, Bidhannagar, Kolkata, West Bengal - 700091

www.wuerth.in

info.wuerth@wuerth.in

Toll Free: 1800 102 5061

Follow us on



Wuerth India eSHOP

Register Now

@ www.wuerth.in



WUERTH APP



#READY
FOR WORK